Kissimmee Prairie Preserve State Park

Bird Checklist











Kissimmee Prairie Preserve protects the largest remaining tract of the unique Florida dry prairie ecosystem, one of the biologically richest grasslands in the world.

Its 54,000 acres contain a mosaic of dry prairie, wet prairie, marshes, sloughs, cabbage palm and oak hammocks, and flood plain—no less than 14 distinct natural communities —which support a vast and diverse array of flora and fauna, including a number of threatened or endangered species. Dry Prairie is home to a unique assemblage of birds, including Crested Caracara, Burrowing Owl, White-tailed Kite, Eastern Meadowlark, Northern Bobwhite and the rare Florida Grasshopper Sparrow (*pictured*).

This checklist was originally compiled through the efforts of former Kissimmee Prairie Preserve biologist **Paul Miller**.

CHECKLIST KEY

SEASONS

(Sp) Spring March—May (Su) Summer June—July

(F) Fall August—November(W) Winter December—February

STATUS

+ Breeding Confirmed

* Breeding Postulated but unconfirmed

Italic Listed Endangered, Threatened or Special Concern

OCCURRENCE

Common Certain to be found in suitable habitat
 Uncommon Usually present; not certain to be found
 Occasional Seen only a few times during a season
 R Rare Not to be expected

Does not occur during season

HABITAT (HAB)

P	Prairie	Wiregrass and palmetto
Н	Hammock	Hardwoods and palms
A	Aerial	Applies to birds seen mostly on the

W Wet Slough, riverine, marshes

R Ruderal Disturbed areas such as pasture and roads

he wing

Bird Checklist

	_	
-4		h
ш		
w	24	
4		7

Species	Sp	Su	F	W	Hab
DUCKS					
☐ Black-bellied Whistling Duck	0	0	_	_	A
☐ Wood Duck	R	_	_	_	AW
☐ Mottled Duck+	U	0	U	U	AW
☐ American Wigeon	R	_	R	R	W
☐ Blue-winged Teal	0	-	0	0	AW
☐ Hooded Merganser	R	_	R	0	W
NEW WORLD QUAIL					
☐ Northern Bobwhite+	C	C	C	U	PR
TURKEYS					
☐ Wild Turkey+	C	C	C	C	HPR
GREBES					
☐ Pied-billed Grebe+	0	R	R	U	W
CORMORANTS					
☐ Double-crested Cormorant	0	R	0	0	AW
DARTERS					
☐ Anhinga+	C	U	C	C	AW
PELICANS					
☐ American White Pelican	R	_	_	_	AW
HERONS, BITTERNS AND A	LLIE	S			
☐ American Bittern	R	_	U	0	W
☐ Least Bittern*	R	R	R	_	W
☐ Great Blue Heron+	C	(((AW
☐ Great White Heron	R	-	_	-	AW
☐ Cattle Egret+	(C	C	C	AWR
☐ Snowy Egret+	((((AW
☐ Great Egret+	((((AW
☐ Tricolored Heron+	((((AW
☐ Little Blue Heron+	((C	(AW
☐ Green Heron+	U	(U	U	AW
☐ Black-crowned Night-Heron+	((((AW
☐ Yellow-crowned Night-Heron*	R	R	R	0	AW
IBISES AND SPOONBILLS					
☐ White Ibis*	(C	((AWR
☐ Glossy Ibis	R	_	R	R	AW
☐ Roseate Spoonbill	-	R	-	R	AWR

Species	Sp	Su	F	W	Hab
STORKS					
☐ Wood Stork*	U	U	0	U	AW
NEW WORLD VULTURE	S				
☐ Turkey Vulture+	C	C	((AHR
☐ Black Vulture+	C	C	(C	AHR
OSPREYS					
□ Osprey	0	R	0	R	AW
KITES, EAGLES & HAW	KS				
☐ Snail Kite*	R	-	R	_	AW
☐ White-tailed Kite+	U	U	U	U	APH
☐ Swallow-tailed Kite+	U	U	-	R	AHP
☐ Bald Eagle	0	_	0	0	Α
☐ Northern Harrier	U	R	U	C	AP
☐ Sharp-shinned Hawk	R	_	R	R	AHP
☐ Cooper's Hawk	0	R	0	0	AHP
☐ Broad-winged Hawk	R	-	R	-	A
☐ Red-shouldered Hawk+	((((AHP
☐ Short-tailed Hawk	R	R	R	R	A
☐ Red-tailed Hawk+	0	0	0	0	AP
CARACARAS & FALCON	IS				
☐ Crested Caracara+	U	U	U	U	APR
☐ American Kestre	0	_	C	(APR
☐ Merlin	0	-	0	U	APR
☐ Peregrine Falcon	R	-	R	0	А
LIMPKINS					
\square Limpkin $+$	r	-	R	R	W
RAILS, GALLINULES &	COOTS				
☐ Yellow Rail	R	_	_	R	W
□ Sora	_	_	_	R	W
☐ King Rail+	R	U	U	0	W
☐ Virginia Rail	R	_	_	R	W
☐ Purple Gallinule+	R	R	R	_	WR
☐ Common Gallinule+	0	0	0	0	WR
☐ American Coot	0	_	_	0	WR
CRANES					
☐ Sandhill Crane+	U	U	U	C	APR
☐ Whooping Crane	R	-	-	R	WP
P – Prairie H – Hammock	A – Aerial	W – W	'et	R – Ruc	deral

Species	Sp	Su	F	W	Hab
PLOVERS					
☐ Killdeer+	(((C	WR
☐ Semipalmated Plover	R	_	R	_	WR
STILTS					
☐ Black-necked Stilt*	R	R	R	_	AW
SANDPIPERS					
☐ Greater Yellowlegs	0	_	0	U	WR
☐ Lesser Yellowlegs	0	_	0	U	WR
☐ Solitary Sandpiper	R	_	R	_	WR
☐ Spotted Sandpiper	0	_	0	_	WR
☐ Upland Sandpiper	R	_	_	_	WPR
☐ Semipalmated Sandpiper	R	_	R	_	WR
☐ Least Sandpiper	R	_	_	R	WR
☐ Stilt Sandpiper	R	_	R	_	WR
☐ Pectoral Sandpiper	R	_	R	_	WR
☐ Long-billed Dowitcher	_	_	_	0	WR
☐ Wilson's Snipe	0	_	0	C	WR
GULLS & TERNS					
☐ Laughing Gull	0	_	_	_	Α
☐ Least Tern	-	R	-	-	Α
PIGEONS & DOVES					
☐ Rock Pigeon	R	_	_	_	А
☐ Eurasian Collared-Dove+	C	C	C	C	AR
☐ White-winged Dove*	_	R	0	0	AR
☐ Mourning Dove+	C	C	C	(APR
☐ Common Ground-Dove+	C	(C	C	APR
PARROTS					
☐ Carolina Parakeet +		EXT	INC	T	
☐ Monk Parakeet	-	R	_	_	AR
CUCKOOS					
☐ Yellow-billed Cuckoo	R	R	R	-	Н
BARN & TYPICAL OWLS					
☐ Barn Owl+	U	U	u	u	PR
☐ Short-eared Owl	R	R	R	_	PR
☐ Barred Owl+	C	(C	C	HR
☐ Eastern Screech-Owl*	R	_	R	R	Н
☐ Burrowing Owl+	U	U	U	U	PR
C -Common U -Uncommon	0-0	ccasio	nal	R – Ra	ire



Species	Sp	Su	F	W	Hab
GOATSUCKERS					
☐ Common Nighthawk+	U	C	C	_	APR
☐ Chuck-will's-widow*	R	R	_	_	Н
☐ Eastern Whip-poor-will	R	_	R	0	Н
SWIFTS					
☐ Chimney Swift	R	-	-	_	А
HUMMINGBIRDS					
☐ Ruby-throated Hummingbird*	R	R	R	_	Н
KINGFISHERS					
☐ Belted Kingfisher	U	_	C	C	AW
WOODPECKERS					
☐ Red-headed Woodpecker	R	_	R	R	Н
☐ Red-bellied Woodpecker+	((((HP
☐ Yellow-bellied Sapsucker	R	-	0	U	Н
☐ Downy Woodpecker+	U	U	U	U	Н
☐ Pileated Woodpecker+	U	U	U	U	AH
TYRANT FLYCATCHERS					
☐ Eastern Wood-pewee	-	_	R	_	Н
☐ Acadian Flycatcher	-	_	R	_	Н
☐ Yellow-bellied Flycatcher	-	_	R	_	Н
☐ Willow Flycatcher	-	_	R	_	Н
☐ Eastern Phoebe	R	-	U	C	HPR
☐ Great Crested Flycatcher+	U	U	U	U	Н
☐ Western Kingbird	-	_	R	_	R
☐ Eastern Kingbird+	U	U	R	_	APR
☐ Scissor-tailed Flycatcher	R	_	R	_	HR
SHRIKES					
☐ Loggerhead Shrike+	C	C	C	C	PR
VIREOS					
☐ White-eyed Vireo+	(C	(C	Н
☐ Yellow-throated Vireo	R	_	R	_	Н
☐ Blue-headed Vireo	R	_	R	0	Н
☐ Red-eyed Vireo	R	-	0	-	Н
CROWS & JAYS					
☐ Blue Jay	0	0	0	0	Н
☐ Florida Scrub-Jay+	U	U	U	U	Р
☐ American Crow+	((((APHR
☐ Fish Crow	R	R	R	R	PHWR
P – Prairie H – Hammock A – Ae	erial	W – W	et l	R – Rud	deral

Species	Sp	Su	F	W	Hab
SWALLOWS					
☐ Purple Martin	0	R	0	0	А
☐ Tree Swallow	U	-	U	(А
☐ Barn Swallow	(0	C	-	А
■ N. Rough-winged Swallow	R	-	R	-	A
☐ Bank Swallow☐ Cliff Swallow	R	_	0	_	A A
TITMICE			U		/\
☐ Tufted Titmouse+	U	U	U	U	Н
WRENS					
☐ House Wren	R	_	R	0	PH
☐ Carolina Wren+	((C	C	Н
☐ Marsh Wren	R	_	R	R	W
☐ Sedge Wren	0	-	0	U	WP
KINGLETS					
☐ Ruby-crowned Kinglet	0	_	0	U	Н
GNATCATCHERS					
☐ Blue-gray Gnatcatcher+	C	C	(C	Н
THRUSHES					
☐ Eastern Bluebird*	R	_	R	R	AH
☐ Gray-cheeked Thrush	-	-	R	-	Н
☐ Bicknell's Thrush	R	-	_	-	Н
□ Veery	R	_	R	_	Н
☐ Swainson's Thrush	_ _	_	R	_	Н
☐ Hermit Thrush ☐ American Robin	R U	_	R O	0	H APH
MOCKINGBIRDS & THRASI	_		U	C	ALII
☐ Gray Catbird	0	_	U	U	HP
☐ Northern Mockingbird+	-		-	(APR
☐ Brown Thrasher+	U	U	U	U	HP
STARLINGS					
☐ European Starling	U	R	R	0	AR
PIPITS					
☐ American Pipit	-	-	R	-	RW
WAXWINGS					
☐ Cedar Waxwing	R	-	R	R	AH
C-Common U-Uncommon O-Occasiona					are



WOOD-WARBLERS Blue-winged Warbler Orange-crowned Warbler Northern Parula+ Yellow Warbler Magnolia Warbler Cape May Warbler Black-throated Blue Warbler Yellow-rumped Warbler Palm Warbler Palm Warbler Yellow-throated Warbler Prairie Warbler Bay-breasted Warbler Blackpoll Warbler	p Si	u F	W	Hab
□ Orange-crowned Warbler □ Northern Parula+ □ Yellow Warbler □ Cape May Warbler □ Black-throated Blue Warbler □ Yellow-rumped Warbler □ Blackburnian Warbler □ Palm Warbler □ Yellow-throated Warbler □ Yellow-throated Warbler □ Prairie Warbler □ Bay-breasted Warbler				
□ Orange-crowned Warbler □ Northern Parula+ □ Yellow Warbler □ Cape May Warbler □ Black-throated Blue Warbler □ Yellow-rumped Warbler □ Blackburnian Warbler □ Palm Warbler □ Yellow-throated Warbler □ Yellow-throated Warbler □ Prairie Warbler □ Bay-breasted Warbler	. –		_	Н
Yellow Warbler Magnolia Warbler Cape May Warbler Black-throated Blue Warbler Yellow-rumped Warbler Blackburnian Warbler Palm Warbler Yellow-throated Warbler Prairie Warbler Bay-breasted Warbler		_	R	Н
□ Magnolia Warbler C □ Cape May Warbler C □ Black-throated Blue Warbler C □ Yellow-rumped Warbler L □ Blackburnian Warbler - □ Palm Warbler C □ Yellow-throated Warbler F □ Prairie Warbler C □ Bay-breasted Warbler -		(0	Н
Cape May Warbler □ Black-throated Blue Warbler □ Yellow-rumped Warbler □ Blackburnian Warbler □ Palm Warbler □ Yellow-throated Warbler □ Prairie Warbler □ Bay-breasted Warbler		- R	_	Н
□ Black-throated Blue Warbler C □ Yellow-rumped Warbler L □ Blackburnian Warbler - □ Palm Warbler C □ Yellow-throated Warbler F □ Prairie Warbler C □ Bay-breasted Warbler -) –	- 0	_	Н
Yellow-rumped Warbler □ Blackburnian Warbler □ Palm Warbler □ Yellow-throated Warbler □ Prairie Warbler □ Bay-breasted Warbler) –	-	_	Н
□ Blackburnian Warbler □ Palm Warbler □ Yellow-throated Warbler □ Prairie Warbler □ Bay-breasted Warbler) –	- U	_	Н
□ Palm Warbler C □ Yellow-throated Warbler F □ Prairie Warbler C □ Bay-breasted Warbler C	l –	- U	C	APHR
☐ Yellow-throated Warbler ☐ Prairie Warbler ☐ Bay-breasted Warbler ☐ ☐ Bay-breasted Warbler ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐		- R	_	Н
☐ Prairie Warbler ☐ Bay-breasted Warbler ☐	_	- (C	APHR
☐ Bay-breasted Warbler -	. –	- 0	U	Н
·	R	U	0	Н
☐ Blackpoll Warbler C		- R	_	Н
) –		_	Н
☐ Pine Warbler F	-	R	_	Н
☐ Black-and-white Warbler C) –	- 0	U	Н
☐ American Redstart (-	- (0	Н
☐ Worm-eating Warbler C) –	- U	_	Н
☐ Swainson's Warbler —	-	R	_	Н
☐ Prothonotary Warbler F	-	- R	_	Н
☐ Ovenbird U	J –	- (U	Н
☐ Northern Waterthrush —		- R	_	Н
☐ Kentucky Warbler –		- R	_	Н
☐ Hooded Warbler —	-	- 0	_	Н
☐ Common Yellowthroat+		C	C	PH
☐ Yellow-breasted Chat -		R	_	Н
EMBERIZIDS				
☐ Eastern Towhee+		(C	Р
☐ Bachman's Sparrow+		(U	Р
☐ Field Sparrow F	-	-	_	Р
☐ Chipping Sparrow —	-	R	R	PR
☐ Vesper Sparrow F	-	R	R	PR
☐ Lark Sparrow —	-	- R	_	PR
☐ Savannah Sparrow U	l –	- 0	C	PR
☐ Eastern Grasshopper Sparrow (-	- U	C	PR
☐ Florida Grasshopper Sparrow+	R R	R	R	Р
☐ Henslow's Sparrow U	l R	0	C	PR
P – Prairie H – Hammock A – Aerial	W -	Wet	R – Ruc	deral

Species	Sp	Su	F	W	Hab
☐ LeConte's Sparrow	R	_	_	R	Р
☐ Lincoln's Sparrow	_	_	_	R	WP
☐ Swamp Sparrow	0	-	0	C	WP
☐ White-crowned Sparrow	_	_	R	_	Р
CARDINALS, PIRANGA TAN	AGE	RS 8	k AL	LIES	
☐ Summer Tanager	R	_	_	_	Н
☐ Northern Cardinal+	((C	(HP
☐ Rose-breasted Grosbeak	_	_	R	_	Н
☐ Blue Grosbeak	R	_	_	_	Н
☐ Painted Bunting	-	_	R	_	Н
☐ Indigo Bunting	R	-	R	-	А
BLACKBIRDS					
☐ Eastern Meadowlark+	((C	(APR
☐ Bobolink	0	-	-	_	AP
☐ Red-winged Blackbird+	(((U	WRP
☐ Common Grackle+	0	0	R	0	Р
☐ Boat-tailed Grackle+	U	U	U	U	PRW
☐ Brown-headed Cowbird*	0	0	0	0	PRWH
FINCHES					
☐ American Goldfinch	0	_	R	U	AH
☐ House Sparrow	R	-	-	-	R

Accidental (or vagrant) species are birds found outside their normal range. Hurricanes and powerful storms carry some unexpected birds inland to Kissimmee Prairie Preserve, including a Sooty Tern in 2004, and a Pomarine Jaeger in 2015.

This is a living document and subject

to change. We encourage visitors to report sightings in the Preserve—especially those of previously undocumented bird species and unusual seasonal occurrences to the Preserve biologist or email info@kissimmeeprairiefriends.org.

February 2016. The names and species order in this list follow the National Geographic Society's *Field Guide to the Birds of North America,* Sixth Edition, 2011.

Photographs Courtesy of Christina Evans and Stan Czaplicki

Eleven Breeding Birds of the Kissimmee Prairie

A short guide on where and when to see them.



The striking , unmistakable **Crested Caracara** is a signature species at Kissimmee Prairie Preserve. You may see them hunting or scavenging along the road, in the campground, or in recently burned prairie—they like barbeque!





The **Eastern Meadowlark** (*left*) and **Eastern Towhee** (*right*) are seen (and often heard) in the prairie throughout the year.



Watch for **Burrowing Owl**s in prairie or pasture, on fence posts, or along the road just after dark.



Listen for the "Here, kitty, kitty, kitty" call of the **Bachman's Sparrow** during spring and summer.

Common Nighthawks

are summer residents. Often sleeping on fence posts—when dusk comes, they fly around bat-like, making a nasal peent call as they feed.





The **Common Yellowthroat**'s "witchety-witchety" song is often heard before it is seen.



A **Northern Bobwhite** calls out his name, "bob-white!" They are usually seen in pairs or coveys.



Swallowtailed Kites arrive in spring and depart in fall. You may see them soaring gracefully over hammocks or perched on snags early in the morning.



Loggerhead Shrikes (nicknamed *butcher birds*) hunt near barbed wire or thorns on which they impale prey.



Red-shouldered Hawks are usually seen along the road, and a pair often nest in the campground.



Where the rare is commonplace.

Friends of Kissimmee Prairie Preserve wants you!

Your membership will include invitations to special events such as prairie walks and buggy tours, access to our member pages, where you can interact with other members, share photos in your own member album, and stay informed about the Preserve and events through periodic newsletters and emails.

But the main benefit of membership is being an important part of the effort to support and benefit Kissimmee Prairie Preserve and its unique, irreplaceable ecosystem.

Visit us online and join today at KissimmeePrairieFriends.org www.kissimmeeprairiefriends.org Thank you for your support!

Kissimmee Prairie Preserve State Park Bird Checklist

Kissimmee Prairie Preserve State Park

33104 NW 192nd Ave. Okeechobee, FL 34972 (863) 462-5360

www.floridastateparks.org/park/ Kissimmee-Prairie